



## SHANDONG JCT ABRASIVES CO., LTD

Address: Room 801, Building C3, Qilu E-commerce Valley, No.139 Liuquan Road, Zibo  
High-tech Zone, Shandong, China, 255100 Tel: +86-533-3171838 Fax: +86-533-2726568

# Material Safety Data Sheet

## 1. Company and Product Identification

**Product name:** Calcined Alumina

**Chemical name:** Aluminium Oxide

**CAS NO.:** 1344-28-1

**Synonyms:** WFA

**Chemical Formula:** Al<sub>2</sub>O<sub>3</sub>

**Supplier:** Shandong JCT ABRASIVES CO., LTD.

Room 801, Building C3, Qilu E-commerce Valley, No.139 Liuquan Road, Zibo  
High-tech Zone, Shandong, China, 255100  
Tel: + 86-533-3171838

## 2. Composition/Information on Ingredients

### Ingredient Percent

Al<sub>2</sub>O<sub>3</sub>#: 99.5 Fe<sub>2</sub>O<sub>3</sub>#:0.04 SiO<sub>2</sub>#:0.03 Na<sub>2</sub>O#:0.15

Suggest to use Class2.1 / UN 1950 apply in system.

## 3. Hazards Identification

### Emergency Overview

-----  
**CAUTION! MAY CAUSE IRRITATION TO SKIN, EYES, AND RESPIRATORY TRACT.**

### Potential Health Effects

#### Ingestion:

No adverse effects expected.

#### Eye Contact:

No adverse effects expected but dust may cause mechanical irritation.

#### Chronic Exposure:

No adverse effects expected.

#### Aggravation of Pre-existing Conditions:

Not expected to be a health hazard.

## 4. First Aid Measures

### Ingestion:

Give several glasses of water to drink to dilute. If large amounts were swallowed, get medical advice.

### Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get medical attention if irritation persists.

## 5. Fire Fighting Measures

### Fire:

Not considered to be a fire hazard.

### Explosion:

Not considered to be an explosion hazard.

**Fire Extinguishing Media:**

Use any means suitable for extinguishing surrounding fire.

**Special Information:**

Use protective clothing and breathing equipment appropriate for the surrounding fire and to protect against the aluminum oxide dust that may be dispersed in the air.

---

## 6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal.

---

## 7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. The material has been fired at 2050 Celsius degree, it is no hazard under normal temperature.

---

## 8. Exposure Controls

**Ventilation System:**

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

---

## 9. Physical and Chemical Properties

**Appearance:**

White powder.

**Odor:**

Odorless.

**Solubility:**

Insoluble in water.

**Density:**

3.97 g/cm<sup>3</sup>

**Melting Point:**

> 2000 °C

---

## 10. Stability and Reactivity

**Stability:**

Stable under ordinary conditions of use and storage.

**Hazardous Polymerization:**

Will not occur.

**Conditions to Avoid:**

Incompatibles.

---

## 11. Toxicological Information

**Non-Toxic and Non-Flammable**

## 12. Ecological Information

**Environmental Fate:**

No information found.

**Environmental Toxicity:**

No information found.

---

## 13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

---

14. Transport Information

Not regulated.

---

15. Regulatory Information

Chemical Weapons Convention: No

Chronic: No

Fire: No

Pressure: No

Reactivity: No (Pure / Solid)

---

16. Other Information

**Label Precautions:**

Keep container closed.

Avoid breathing dust.

**Disclaimer:**

\*\*\*\*\*

**SHANDONG JCT ABRASIVES CO.,LTD.** provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. **SHANDONG JCT ABRASIVES CO., LTD. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, SHANDONG JCT ABRASIVES CO., LTD. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.**

\*\*\*\*\*

**Issue date** 14-November -2018

**Revision date** 14-November -2018

**Print date** 14-November-2018

\*\*\*\*\*

**Prepared by:** Environmental Health & Safety

Phone Number: (+86) 533-3171838 (China.)