
White Sol-Gel Abrasive Grain (WSG)





Ceramic abrasive grain is a brand new structure ceramics material with less than 1 μ m crystal grain size, and applied in the fields of bonded abrasives, coated abrasives and other special abrasive tools, which has much higher performance than fused alumina abrasive in the specification of hardness, strength, toughness and friability etc. Its grain containing hundred thousand and even ten million of alumina micro crystals instead of only a few crystals in the grain of the fused alumina abrasive, and its microcrystals falling off accordingly in the grinding process, that's why ceramic abrasive grain can multiply increase the life and efficiency of the abrasive tools and have the advantages of machining accuracy and cool cutting as well.



- (a) X Ray Diffraction Spectrum XRD
- (b) Optical Microscope Photograph
- (c) Surface Photograph of SEM SEM
- (d) Section Photograph of SEM

Specification:

Microstructure		polyhedron structure			Average Crystal Size	300nm
Microhardness (HV0.2)					Compression Strength of	Ball Grinding
Ave.	Max		Min.	Relative deviation	Single Particle (N)	Toughness
2303.2	2419.	.1	2154.6	8.9%	132.1(18/20) 100.4(25/30) 53.3(40/45) 43.6(50/60)	71.50%(70/80)

Room 801, Building C3, Qilu E-commerce Valley, No.139 Liuquan Road, Zibo High-tech Zone, Shandong, China 255086 +86-533-3171838

Tea.song@jct-abrasives.com

www.jct-abrasives.com

